CAV
FLUID SOLUTIONS

General Range Catalogue

2025

AUSTRALIA WIDE DISTRIBUTION

For our full range of products and more information, give us a call

0476 670 765
accounts@cavfluid.com.au

TABLE OF CONTENTS

DIESEL EQUIPMENT & ACCESSORIES	4 - 12
Rotary Drum Pumps	4
Refuelling Pumps & Kits	4-5
Transfer Pumps	5
Diesel Flow Meters	6
Hose Reels	7
Fuel Nozzles & Swivels	6-7
Fuel Tank Fittings & Accessories	9-10
Bowsers & Fuel Management Systems	9 - 10
Petrol Driven & Diesel Driven Transfer Pumps	9 - 10
Filters	10
Level Indicators	11
Fuel Gloves	11
Diesel Tanks	11
Polycubes	12

ADBLUE EQUIPMENT & ACCESSORIES	13 - 17
Rotary Drum Pump	14 - 15
Gravity Feed Kit	14 - 15
Pumps & Kits	14 - 15
Nozzles	15 - 16
Flow Meters	16
Accessories	16 - 17
Hose Reels	16-17
Poly Tanks	17
Level Indicators & Alarms	17

AIR AND WATER EQUIPMENT	18 - 20
Mini Sprayers	19
Rotary Pumps	19
Water Valve	19
Hose Reel	20

OIL EQUIPMENT & ACCESSORIES	21 - 30
Hand Operated Oil Pumps	22
Spring Operated Oil Pumps	22
Lever Action Oil Drum Pumps	22
Standard Rotary Barrel Pumps	22
Heavy Duty Rotary Barrel Pumps	22
Action Drum Pumps	23
Level Gauge	23
Air Operated Oil Pumps	24
Oil Distribution Kits	24 - 25
IBC Kits	24
Diaphragm Pumps	24
Oil Reels	25
Oil Control Guns	25
Oil Transfer Accessories	26
Waste Oil Drainers	27
Oil Filter Crusher	28
Oil Equipment Accessories	28 - 29
Oil Distribution Kits	30

GREASE EQUIPMENT & ACCESSORIES	31 - 42
Hand Operated Grease Guns	32
Hand Air Operated Grease Guns	33
Hand Operated Bulk Grease Pumps	33
Air Operated Grease Pump Kit	34
Grease Gun Couplers & Flex Hose	34
Grease Nipples	35
Grease Gun Accessories	35 - 37
Grease Gun & Swivel	38
Hose Reels	36
Auto Lubrication Systems & Fittings	36-41
Air Operated Pump Kit	42

WORKSHOP EQUIPMENT & ACCESSORIES	43 - 44
Trolleys	43
Dollies	43
Spill Pallets	43
Liquid Adhesive	44
Drum Wrench	44
Drum Cradle	44
Spill Kits	44

CAV Fluid Solutions is a QLD based company with a strong focus to service Australia across the mining, oil and gas, agricultural, civil and transportation industries.

With over 20 years combined industry experience, we supply bulk fuel and oil storage, metering and dispensing equipment, oil and lubricants and automatic lubrication systems.

Heavy Duty Rotary Drum Pump

Rotary pump with hose & nozzle kit
3 revolutions per litre
Rotary action
Solid cast iron construction
3 piece suction pipe
Suitable for most motor oils
2" bung adaptor
Suitable for diesel not for petrol
Not recommended for gear oil

- 205L Rotary Barrel Pump
- 205L Rotary Barrel Pump Hose & Nozzle

High Flow Rotary Drum Pump

1 revolution per litre
Rotary action
Solid aluminium construction
Steel suction pipe and foot strainer
Suitable for oils up to SAE 30
Also pumps petrol and diesel
2" bung adaptor
2 metres of fuel hose with anti-kink springs and metal nozzle

- High Flow Diesel Pump
- High Flow Diesel Pump with 1" Filter

Refuelling Pumps

12/24 volt pump
40 litres per minute
Not suitable for petrol
Self priming pump
Integral bypass
¾" BSP inlet/outlet
Complete with carry handle, on/off switch, and battery cable with clips and fuse

- 12V Refuelling pump Only
- 24V Refuelling Pump Only

Refuelling Pump Kits

Portable lightweight transfer pump
Not suitable for petrol
40LPM
Manual nozzle
Swivel
Flexible suction hose
Built in strainer
4 metre delivery hose
Self priming pump
Integral bypass
On/off switch

- 12V Refuelling Pump kit
- 24V Refuelling Pump kit
- 12V Refuelling Pump kit & Auto Nozzle
- 24V Refuelling Pump Kit & Auto Nozzle

High Flow Bi Pump & Refuelling Kit

- Self priming, rotary vane pump equipped with a by-pass valve
- Flanged 1" BSP (f) connectors
- Flow Rate: up to 80 LPM
- Renowned for its ability to consistently outlast any other pumps in its league

- 12V Bi Pump Only - 80 LPM
- 24V Bi Pump Only - 80 LPM
- 12V Bi Pump Kit, 4m hose & Auto Nozzle

Pit Stop Refuelling Kits

- Two 12v Diesel Pumps 45 LPM
- Automatic hose reel
- 14m x 3/4"Hose
- Water Filter
- Automatic Diesel Nozzle
- Easy to install

- 12V Refuelling Kit
- 24V Refuelling Kit

Explosion Proof Refuelling Kits

- Premium pump EX rated
- Flow rate 50 LPM
- Fuel fitted
- Meter
- 4M hose
- Auto nozzles

- 12V Pump Kit 4m Hose, Auto Nozzle & Meter
- 240V Pump Kit 4m Hose, Auto Nozzle & Meter

Explosion Proof Refuelling Pumps

- Ex Rated transfer pump is suitable for transferring diesel or unleaded fuel
- Pumps are self priming & have an inbuilt bypass valve

- 12V Pump Only - 50 LPM Flow Rate
- 240v Pump Only - 50 LPM Flow Rate
- 240V Pump Only - 140 LPM Flow Rate

Diaphragm Pumps

- 3/4" Series Aluminium Pump
- 1" Series Aluminium Pump

Diesel Transfer Pumps

Self priming diesel transfer pump
Integral bypass and strainer
Duty cycle: 30 minutes
1" BSB Inlet
1" BSB Outlet

- 240V Diesel Transfer Pump 80 LPM
- 240V Diesel Transfer Pump 100 LPM

Diesel Transfer Pump

- Self-priming rotary vane pump
- Continuous duty
- Inbuilt bypass valve
- 1" inlet/outlet (70, 90 & 120 LPM)
- 1 1/4" inlet & 1" outlet (140 LPM)

- 240V Panther Transfer Pump Only 70 LPM
- 240V Panther Transfer Pump Only 90 LPM
- 240V Panther Transfer Pump Only 120 LPM
- 240V E140 Transfer Pump Only 140 LPM

Diesel Pump

- Centrifugal pump
- Flow according to manometric height: from 100 to 500 LPM
- Motor 240v
- 2,800 rpm
- Continuous duty Cycle
- Thermal protector
- 2" BSP inlet/outlet

- 240V High Flow Transfer Pump

DIESEL EQUIPMENT & ACCESSORIES

Diesel Flow Meters

- 3 Digit 1" Flow Meter
- 4 Digit 1" Flow Meter

K24 Inline Digital Meters

- An economical, reliable and versatile solution for metering fluids
- Turbine type meter reinforced with polyamide body
- 1" BSP inlet/outlet connections
- Max. Flow Rate: up to 120 LPM
- Display can be rotated to 4 different positions
- Battery powered with 2 replaceable AAA batteries

- K24 Inline Digital Flow Meter - 1"

Series Diesel Hose Reels

- Can be roof, wall or bench mounted
- Equipped with 0.6m Connection Hose
- 1" BSP (f) inlet & 1" BSP (m) outlet
- Pressure rating: 10Bar

- Diesel Hose Reel 15M x 3/4" ID Hose
- Diesel Hose Reel 15M x 1" ID Hose
- Diesel Hose Reel 10M x 1" ID Hose

Manual Fuel Nozzles

- Flow Rates: up to 100 LPM
- Inlet 1" BSP(f) swivel
- Suitable for gravity feed systems
- Ideal for farm tank and smaller fuel dispensing applications

- Manual Diesel Nozzle with black cover
- Manual Unleaded Nozzle with black cover

Mechanical & Digital Flow Meters

- Mechanical 1" Flow Meter
- 1" Digital Flow Meter

Pulse Flow Meters

- Pulse flow meters for oil & diesel
- Flow Rate: Up to 100 LPM
- Accuracy: ±0,5%
- Repeatability: 0,2%

- 3 Oil Only Meter - 3/4" - 6-60 LPM
- 3 Oil/Diesel Meter - 1" - 10-100 LPM
- 4 Oil/Diesel Pulser 1-1/2" BSP - 15-150 LPM

Standard Automatic Nozzles

- Automatically shuts off nozzle
- Flow Rate: up to 60 LPM
- Includes 1" BSP(f) Swivel
- Not suitable for gravity feed applications

- 3/4" Auto Diesel Nozzle - 60 LPM
- 3/4" Auto Unleaded Nozzle - 60 LPM

Slimline Automatic Nozzles

- Automatically shuts off nozzle
- Flow Rate: up to 80 LPM
- Includes 1" BSP(f) Swivel
- Not suitable for gravity feed applications

- 3/4" Slimline Diesel Nozzle - 80 LPM
- 3/4" Slimline Unleaded Nozzle - 80 LPM

High Accuracy Industrial Meter

- Designed and manufactured for Australia conditions
- All metal rotors
- IP67 Mechanical display
- Options - LCD Displays & remote mount display

- 1" Aluminium Meter with 4 Digit Mechanical Register (10-150LPM)
- 1 1/2" Aluminium Meter with 4 Digit Mechanical Register (15-250LPM)
- 2" Aluminium Meter with 4 Digit Mechanical Register (30-450LPM)
- 1" Aluminium Pulse Meter (10-150LPM)
- 1 1/2" Aluminium Pulse Meter (15-250LPM)
- 2" Aluminium Pulse Meter (30-450LPM)

High Flow Truck Stop Automatic Nozzles

- Automatic shut off diesel nozzle
- For high flow transfer of up to 120 LPM
- Suitable for pump applications only
- Complete with 1" BSP(f) Swivel
- Ideal for high flow mobile pumps, truck bus or fleet operations

- 1" High Flow Truck Nozzle - 120L/Min
- 1" High Flow Truck Nozzle

Premium Automatic Nozzles

- Automatically shuts off nozzle
- Flow Rate:
  3/4" 80 LPM
  1" 140 LPM
- Includes 1" BSP(f) Swivel
- Not suitable for gravity feed applications

- 3/4" Slimline Diesel Nozzle - 80 LPM
- 3/4" Slimline Unleaded Nozzle - 80 LPM
- 1" High Flow Diesel Nozzle Heavy Spring

Fuel Nozzle Swivels

- Compact aluminium and brass construction
- Viton/Buna - N Seals

- 3/4" BSP (m) x 3/4" BSP (f) Single Plane Swivel
- 3/4" BSP (m) x 1" BSP (f) Single Plane Swivel
- 1" BSP (m) x 1" BSP (f) Single Plane Swivel

Dual Plane Swivel

- Provides a full 360 degree spherical rotation for free-movement facilitation flexibility to refuel vehicles from almost any direction
- Unique design to allow high flow rates

- 3/4" BSP (m) x 3/4" BSP (f) Dual Plane Swivel
- 1" BSP (m) x 1" BSP (f) Dual Plane Swivel

SAR-GEL BLUE Water Finding Paste

- Fast & reliable way to detect water in tanks containing diesel & ULP fuels
- The orange paste will turn blue when it comes into contact with water

- Water Finding Paste - 28g

Farm Tank Fuel Hose

- 25mm ID diesel, petrol & oil
- Resistant hose
- Kink resistant
- Max. Working Pressure: 145PSI
- Includes anti-static copper wire for increased safety
- Excellent UV resistant & flexibility
- Suitable for drum pumps & overhead tanks
- 20M coil length
- Made in Australia

- 25mm Farm Tank Hose - 20M

Breakaway Coupling

- Compact & lightweight
- 1" (m) x 1" (f) multi-plane swivel joint
- Unique inline latching mechanism
- Re-Connectable

- Safe T Break 1" BSP (m) x 1" (f) BSP

Diesel Fuel Nozzles

- Flow rates up to 680 LPM
- Includes 1 1/2" NPT (f) Swivel
- Highest flow rate capability
- Reducing refuelling time
- Dry break fitting
- Dependable ball locking mechanism
- Automatic shut off

- Fuel Nozzle with Ball Lock with Swivel and Plug
- Fuel Receiver - Alum. With Cap

Spin Secure Lockable Filler Cap

- Does not require a padlock
- 2" BPT Female
- Rubber gasket numbered lock with over 50,000 combinations
- Complete with 3 keys
- Integrated safety thermal relief
- Male nipple adapter available
- (STC-750/754-200)

- Spin Secure Lockable Filler Cap
- Spin Secure Lockable Filler Cap with Built-in breather
- Spin Secure 2" Nipple Adapter

100 240V Bowser

- Total refuelling solution in a box
- Built-in nozzle holster
- Automatic pump stop
- 240V Self Priming Vane Pump
- Flow rates 100 LPM
- 4M x 1" Delivery Hose
- Automatic Nozzle
- 4 Digit Meter
- Pedestal available

- 240V Bowser without Pedestal 100 LPM

Hose Hangers & High Hose Mast

- Patented urethane hose saddle designed to properly suspend hoses
- Suspend hoses in a permanent, temporary or semi rigid position
- Used in various industrial, commercial sites and applications

- Hosebun with Metal D-Ring, Holds up to 1" Hose
- Hosebun with Metal D-Ring, Holds up to 1 1/4" Hose
- Hosebun with Metal D-Ring, Holds up to 1 1/2" Hose

Diesel Tank Bottom Fill Kit

- Designed and configured for easy installation to horizontal or tripod tanks where fill points are within 200mm from tank edge and the overall maximum height is 3200mm (3.2M)
- Standard Kits are fitted with a Sight Tube, All Fittings, Valves, Camlocks & Gal Pipe Fill Point with stand alone Vent

- 1 1/4" Bottom Fill Kit with Sight Tube
- 1 1/2" Bottom Fill Kit with Sight Tube
- 2" Bottom Fill Kit with Sight Tube

Cube 240V Diesel Bowser

- Total refuelling solution in a box
- Built-in nozzle holster
- Automatic pump stop
- 240V Self Priming Vane Pump
- Flow rates 70 LPM or 90 LPM
- 4M x 1" Delivery Hose
- Automatic Nozzle
- 4 Digit Meter
- Pedestal available

- Cube 70 240V Diesel Bowser 70 LPM
- Cube 90 240V Diesel Bowser 90 LPM

Diesel Fuel Management Bowser

- Up to 50 users
- Flow Rate: 12V 56 LPM, 240V 70 LPM
- Memory 255 transactions
- Accuracy: +/- 0.5%
- Continuous operation
- IP55 protection
- Pedestal available
- Software required

- 240V Diesel Bowser 70 LPM
- 12V Diesel Bowser 56 LPM

Standard Fuel Management System

- Single pump only
- Quick and easily download transactions
- Easy to install
- 240V Power

240V

Diesel Transfer Pump

- Petrol powered
- 1.1 HP recoil start
- 4 stroke, mounting bracket & carry handle
- Max Head: 36M
- Max. Flow Rate: 130 LPM
- Weight: 5.5Kg

1" Honda Diesel Transfer Pump

Bulk Fuel Storage Tank Filtration Kit

- The kit sets you up to protect your assets by ensuring every drop is filtered and your tank is protected from any moisture or condensation
- Simple to maintain and service
- Ideal for static above ground, overhead or mobile tanks
- Removes 99.5% of contamination 10 Micron or larger
- Water absorption capacity - 1 filter holds up to two cans of water

Bulk Fuel Filter Kit, TRAP Breather and Fittings

Standard Pump Kits

- Complete with a Standard 12V Pump with Battery Cable & Clips, 4M x Diesel Delivery Hose & Auto Nozzle
- Lockable lid

100L with Standard Kit

200L long profile with Standard Kit

400L long profile with Standard Kit

400L high profile with Standard Kitt

600L long profile with Standard Kit

2.4HP Petrol Driven Diesel Pump

- 1" & 1.5" diesel pump available
- 2.4HP 4 stroke petrol engine
- Recoil start system
- Flow rate: up to 180 LPM
- Weight: 1" 15kg, 1.5" 20Kg

2.4HP Petrol Driven 1" Diesel Pump Viton Seals

2.4HP Petrol Driven 1.5" Diesel Pump Viton Seals

4HP Diesel Driven 2" Diesel Pump

- 4HP stroke petrol engine
- Recoil start system
- Flow rate: 330 LPM
- Weight: 70Kg
- Non self priming
- 2" Inlet / Outlet

4HP Diesel Driven 2" Cast Iron Diesel Pump Viton Seals (Non Self Priming)

Level Indicator

- Continuous metering
- Indication in height, volume and filling percentage
- Maximum and minimum level alarms
- High accuracy
- Intuitive software managing procedure
- Easy installation
- PC linkup option

Level Indicator LV/RS Output - Diesel

High Level Alarm

- Suitable for steel or plastic tanks
- Suitable for diesel, oil & water
- High power alarm sounder 97dB at 1M
- Flashing light on top of unit
- Mute button stops the sounder & light still flashes
- Float switch supplied with 5M cable
- 2 year battery life, if tested weekly with no alarms

High Level Diesel/Oil Alarm - Steel Tanks

6.5HP Petrol Driven 2" Diesel Pump

- 6.5HP 4 stroke petrol engine
- Recoil start system
- Flow rate: 330 LPM
- Weight: 28Kg
- Non self priming
- 2" Inlet / Outlet

6HP Diesel Driven 2" Cast Iron Diesel Pump Viton Seals (Non Self Priming)

Farm Tank Filtration

- Economic fuel filters for use in gravity, hand, air or electrical pump applications
- Includes a 10 micron fuel filter, drain valve & replaceable bowl
- Rust & weather resistant
- 1"BSP inlet & outlet
- Max. Working Pressure: 10 Bar/150PSI
- Suitable for Diesel & Unleaded fuel

1" Fuel Filter

10 Micron Filter Element Only

Nitrile Fuel Glove

- Jersey liner / Safety cuff offers extra protection
- Superior puncture, snag and abrasion resistance
- Resistant to oil, chemical and greases
- Sanitised anti-bacterial treated

Safety Cuff Blue Nitrile - 3/4" Dipped

Safety Cuff Blue Nitrile - Fully Dipped

Self Bunded Oil / Diesel Tanks

- Complete with 4 entry ports, a level gauge and a leak detection sensor between the inner and outer skin
- Blow-moulded, high density polyethylene inner tank
- Forkliftable
- Base clamp brackets included

620L Unitank (750L x 690W x 1651H)

750L Unitank (1000L x 760W x 1370H)

1000L Unitank (1100L x 705W x 1610H)

1500L Unitank (1650L x 755W x 1870H)

Cav Fluid Diesel Ute Tanks with Standard Pump Kits

Features & Benefits
• Complete with a Standard 12V Pump with Battery Cable & Clips, 4M x Diesel Delivery Hose & Auto Nozzle
• Ideal for back of utes or trucks to improve efficiency in refuelling your equipment
• Increased thickness of wall makes these CAV FLUID TANK'S strong & increases the lifespan
• Lockable lid

Description
100L Diesel Tank with standard kit
200L Diesel Tank with standard kit
400L High Profile Diesel Tank with standard kit
400L Long Profile Diesel Tank with standard kit
600L Diesel Tank with standard kit

Rotary Drum Pump Kit

- Heavy duty polypropylene construction
- 2M of delivery hose & stainless steel spout
- Complete with BLUEQUIP adapter to suit 205L drums
- Ideal for smaller 1-2 vehicle operations

Rotary Action Barrel Pump Kit

Gravity Feed Kit

- Ideal for IBC applications where no electricity or air is available
- 4M of BLUEQUIP delivery hose
- Manual nozzle with swivel
- IBC Adapter Kit to suit standard IBC's

IBC Gravity Feed Kit

Air Operated IBC Pump Kit

- Most cost effective pump system available for IBC's
- Reliable 2:1 Ratio Pump 40 LPM
- 4M of BLUEQUIP Delivery Hose
- Pump Mount Bracket comes with bottom IBC Suction Kit
- Automatic Nozzle (standard)

IBC Kit, Auto Nozzle

IBC Kit, Manual Nozzle

Diaphragm Pump

- Polypropylene body construction
- 1/4" Inlet/outlet connections
- Flow rates up to 57 LPM
- Ideal for transfer of AdBlue from one tank to another

Plastic Pump

Drum Pumps

- Output per stroke 20L 160ml
- Output per stroke 205L & 1000L 400ml
- Delivers on the up and down stroke
- Superior chemical resistance and anti-corrosion technology
- The only serviceable hand pump in the world, which acts to extend its lifespan

25L Drum Pump

205L AdBlue Drum Pump

1000L IBC Drum Pump with 4 Adaptors

240V Electric Transfer Pump Only

- Flow Rate: up to 35 LPM
- 2M cable
- Reliable Self-Priming Pump
- 3/4" Inlet/Outlet hose tails included

240V Electric Transfer Pump

Diaphragm Pump

- Polypropylene body construction
- 1/2" Fluid inlet, 3/4" fluid outlet
- Flow rate up to 60 LPM

1/2" Diaphragm Pump EPDM Membrane

Air Operated IBC Pump Kit

- Flow Rate: up to 40 LPM
- 5M cable
- Reliable Self-Priming Pump
- Multi Stage sub pump ideal for high pressure requirements or applications where pumping to multiple hoses / dispensers

240V SS Submersible Pump only

240V SS Multistage Submersible Pump

12V Electric Pump

- 12V Self Priming Pump
- Flow Rate: 35 LPM
- 205L Drum or 1000L IBC Suction Kits available
- Optional kits include: 6M x 3/4" BLUEQUIP Hose & Manual Nozzle with Swivel

12V Transfer Pump

240V Pump Kit

- The most common and sought after system in the market
- Stainless Steel IBC bracket with nozzle holder
- Self priming 35 LPM pump
- Digital flow meter
- 6M x 3/4" ID hose & automatic shut off nozzle
- Bottom suction kit

240V 1000L IBC Kit with Auto Nozzle & Meter

Mobile Refilling Kit

- Specially designed for refilling AdBlue systems on diesel cars
- Comes with a universal connector to fit all car models
- The filling process is automatic & has an adjustable flow rate of 3-11 LPM

240v Mobile Refilling Unit

Manual Nozzle

- Easy to use Polypropylene construction Gun
- 3/4" BSP(f) swivel inlet
- Flow Rate: up to 90 LPM
- Suitable for gravity feed applications

Manual Dispense Gun

Auto Nozzles

- Reliable, light, easy to handle & ergonomic
- Liquid compatible with AdBlue/DEF
- Inlet 1" BSP (m)
- Magnetic version

Auto Nozzle

Standard Stainless Steel Auto Nozzle

- Automatic AdBlue Nozzle
- Maximum flow rate: 60ltr Per Min
- Suitable for urea and water
- Stainless steel body & spout with a plastic guard
- 3 position stay open latch
- Supplied with 3/4" hose barb swivel

Automatic Shut-off Nozzle

Automatic Shut-off Nozzle with Magnet

436 Series Hose Reel

- Painted steel reel
- 10 bar
- 304 stainless steel swivel
- 1"inlet 3/4"outlet

436 Series AdBlue Reel - 10m x 3/4" Hose

436 Series AdBlue Reel - 15m x 3/4" Hose

Dry Disconnect Bulk Delivery Fittings

- 316L stainless steel
- 2" BSP
- Tank unit male
- Hose unit female
- Dry break fitting

2" BSP Drybreak Hose Unit SS/Viton (Female)

2" BSP Drybreak Tank Unit SS/Viton (Male)

K24 Inline Digital Flow Meter

- Flow rate: 6-120 LPM
- Face can be rotated 4 ways
- 1" M BSP Inlet/ Outlet c/w socket
- LCD electronic display
- Accuracy +/1% after calibration

K24 Inline AdBlue Digital Flow Meter - 1"

Delivery Hose & Check Valve

- Great flexibility and kink resistance, even at low temperatures
- Outstanding chemical resistance
- Max. Working Pressure: 290PSI
- 1" inlet/outlet
- One way check valve

20mm Hose

Inline Check Valve Only

AdBlue Ute Tanks

- Complete with a Premium 12V Pump with Battery Cable & Clips, 4M x Delivery Hose & Manual Nozzle
- Optional: Flow Meter
- Ideal for back of utes or truck to improve efficiency in refueling your equipment

100L AdBlue

200L AdBlue

Level Indicator

- Continuous monitoring
- Indication in height, volume and filling percentage
- Maximum and minimum level alarms
- High accuracy
- Intuitive software managing procedure
- Easy installation
- PC linkup option

Level Indicator LV/RS Output - AdBlue

1000L IBC Cover

- IBC Cover ideal to protect and reduce impact of direct sunlight on AdBlue IBC's
- Easy to install & remove when required
- 240V Electric Pump Kit can be still mounted on side of IBC

1000L IBC Cover

Spring Retractable Hose Reels

- Increase operation efficiency, keep hoses maintained and work area clean
- Robust construction
- Fluid path compatible with AdBlue® fluid
- Heavy duty dual pedestal base

Hose Reel 10M x 3/4" ID Hose

Hose Reel 15M x 3/4" ID Hose

AdBlue High Level Alarm

- Suitable for steel or plastic tanks
- Suitable with AdBlue
- Battery operated (battery supplied, type PP3 x1)
- Weatherproof to IP65
- Compact design for use in confined spaces
- High power alarm sounder 97dB at 1M

AdBlue High Level Alarm c/w Sensor & 5M Cable

LOXEAL Thread Sealant

- High strength, fast curing anaerobic adhesive for locking & sealing fitted parts
- High viscosity & thixotropic effect allows larger tolerances
- Highly resistant to heat, corrosion, vibrations, water, gases, oils, hydrocarbons & many chemicals
- Must use activator with 85-86

Loxeal 85-86 Thread Locking 250ml AdBlue

Loxeal Activator 11

WURTH 1L Mini Sprayers

- Viton / EPDM Seals
- Heavy duty head and pump

1L Hand Held Sprayer Bottle

Multi-Purpose Pumps

- Flow Rate: up to 20 LPM
- Available in Ryton or Polypropylene construction
- Ryton & Stainless Steel provide excellent chemical compatibility with lacquers, low viscosity chemicals & mild acids
- Polypropylene, Teflon & Stainless Steel offer excellent chemical resistance to herbicides, pesticides chemicals & mild detergents

Level Action Polypropylene Pump

Rotary Drum Pump - Yellow

Water Control Valve

- A light weight Control Valve with rigid outlet
- An ideal Hose Reel Water Gun for workshop applications
- The ultimate choice for car and truck dealerships

Water Valve with 3/8" Connection

Water Valve with 1/2" Connection

Slump Gun

- For use with concrete trucks or any other applications where high pressure water wash down is needed
- Robust, case hardened steel for extra strength needed in rugged applications

Slump Gun

Hot & Cold Wash Trigger Gun

- Spray pattern and water flow is easily controlled by the trigger action
- Suitable for flow rates up to 25 LPM
- Suitable for hot water up to 95°C
- Ideal for all types of commercial and industrial applications including restaurants, butchers, supermarkets, abattoirs, hotels etc

Water Gun

Plastic Enclosed Air/Water Reel

- Manufactured in Europe
- Lightweight but robust enclosed casing
- Impact resistant, quality and high performance spring with longevity in mind
- Premium Hose with flexibility for great user experience

Plastic Enclosed Air/Water Reel - 15m x 3/8"

Plastic Enclosed Air/Water Reel - 15m x 1/2"

430 Series Air/Water Hose Reels

- Roof, wall or bench mounted
- 0.6m Connection Hose
- 1/2" inlet (f) & outlet (m)
- 20 Bar swivel

430 Air Water Reel 10M x 1/2" ID Hose

430 Air Water Reel 15M x 1/2" ID Hose

540 Series Air/Water Hose Reels

- Roof, wall or bench mounted
- 0.6m Connection Hose
- 3/4" inlet (f) & outlet (m)
- 20 Bar swivel

540 Air Water Reel 10M x 3/4" ID Hose

540 Air Water Reel 15M x 3/4" ID Hose

430 Series Stainless Steel Hose Reels

- Roof, wall or bench mounted
- Ideal for water wash down
- 1/2" inlet (f) & 3/8"outlet (f)
- 200 bar swivel
- Max. Water Temperature: 130°C
- Ideal for food industries
- Capacity: 15M x 1/2" or 18M x 3/8" Hose

RAASM SS 430 Bare Reel
(15M x 1/2" or 18M x 3/8" ID Hose Capacity)

RAASM SS 430 Bare Reel - Swivel Bracket
(15M x 1/2" or 18M x 3/8" ID Hose Capacity)

540 & 560 High Capacity Stainless Steel Reels

- Roof, wall or bench mounted
- Ideal for water wash down
- 1" inlet/outlet (f)
- Ideal for food industries
- Capacity: 540 Series 30m x 1/2" or 15m x 1" or 20m x 3/4" ID Hose
- Capacity: 560 Series 30m x 1" or 40m x 3/4" ID Hose

540 Bare Reel - Brass Swivel Joint - 20Bar

540 Bare Reel - Brass Swivel Joint - 100Bar

560 Bare Reel - Brass Swivel Joint
- SS Swivel Joint - 100Bar

530 Series Stainless Steel Manual Air/Water Bare Reel

- Wall or bench mounted
- Cap: 25m x 1/2" hose
- Pressure Rating: 20Bar
- 1/2" inlet & outlet (f)
- Suitable for air & water
- Brass swivel joint
- Ideal for workshop installation

530 Series SS Manual Air/Water Bare Reel
without Hose Guide

530 Series SS Manual Reel Hose Guide
including Holding Arm

High Pressure Hot Wash Hose Reels

- Ideal for pressure wash applications where high pressure rating are critical
- Suitable for hot water up to 150°C max
- 440Bar / 5600PSI pressure rating
- Stainless Steel Reels are made of SS Type AISI 304

VL Series HP Reel - Bare
(20m x 3/8" ID Hose Capacity)

VX Series Stainless Steel HP Reel - Bare
(15m x 3/8" ID Hose Capacity)

Hand Operated 20L Oil Pumps

- Easy Downstroke Displacement
- High Quality Components to ensure smooth pump action
- Telescopic Extension
- Approx. 14 strokes per litre
- Ideal pump for the transfer of engine, gear, diff and hydraulic oils

20L Oil Pump without Hose

20L Oil Pump with Hose

20L Oil Pump with hose & 7 Drum Adaptor

20L ATF Pump with Hose

Hand Operated 60L Oil Pumps

- Easy Downstroke Displacement
- High Quality Components to ensure smooth pump action
- Telescopic Extension
- Approx. 14 strokes per litre
- Ideal pump for the transfer of engine, gear, diff and hydraulic oils

60L Oil Pump without Hose

60L Oil Pump with Hose

60L ATF Pump with Hose

Spring Operated Oil Pumps

- Spring Operated Pump with Lever Action Oil Control Valve
- 1.5m of Anti Kink Hose
- Provides an Economical, Efficient solution for mechanics to perform oil changes rapidly

20L Oil Pump with Hose

60L Oil Pump with Hose

Lever Action Oil Drum Pump

- Lightweight aluminium construction
- Approximately 3 strokes per litre
- Telescopic suction pipe
- 2" bung thread
- Suitable for 60L or 205L drums

60-205L Lever Action Oil Pump

Standard Rotary Barrel Pumps

- Solid cast iron construction
- Approx. 3 revolutions per litre
- 3 piece steel suction pipe & 2" Bung Adaptor
- Suitable for most motor oils & diesel
- Not recommended for petrol or gear oil

205L Rotary Oil Pump

205L Rotary Oil Pump, Hose, Nozzle

Heavy Duty Rotary Barrel Pumps

- Solid aluminium construction
- Approx. 3 revolutions per litre
- 3 piece steel suction pipe & 2" bung adapter
- Suitable for petrol, diesel & motor oils

HD 205L Rotary Oil Pump

HD 205L Rotary Oil Pump, Hose, Nozzle

Drum Pumps

- Output per stroke 20L 160ml
- Output per stroke 205L & 1000L 400ml
- Delivers on the up and down stroke
- Superior chemical resistance and anti-corrosion technology
- The only serviceable hand pump in the world, which acts to extend its lifespan
- Not suitable for solvent based products

25L Drum Pump

205L Drum Pump

1000L IBC Drum Pump with 4 Adaptors

Oil Drum Level Gauge

- Unique mechanical measuring gauge showing the fluid level in a 205L Drum
- Fits the standard 3/4" bung opening
- Suitable for oil, diesel, petrol, water, coolant, ATF, waste oil & some chemicals
- Allows for easy and simple stock keeping

205L Drum Level Gauge

1:1 Ratio Pumps

- Flow Rates: up to 40 LPM
- Air inlet 1/4" BSP(f)
- Fluid Outlet: 3/4" BSP(f)
- Ideal for low viscosity transfer of fluids such as oil, waste oil, antifreeze & coolant

1:1 Ratio Stub Pump

1:1 Ratio 205L Drum Pump

3:1 Ratio Pumps

- Flow Rate: up to 14 LPM
- Air inlet 1/4" BSP(f)
- Fluid Outlet: 1/2" BSP(f)
- For medium size workshops which may involve multiple hose reels with manual & metered guns

3:1 Ratio Stub Pump

3:1 Ratio 205L Drum Pump

5:1 Ratio Pumps

- Flow Rate: up to 18 LPM
- Air inlet 1/4" BSP(f)
- Fluid Outlet: 1/2" BSP(f)
- For large size workshops which may involve multiple hose reels with manual & metered guns

5:1 Ratio Stub Pump

5:1 Ratio 205L Drum Pump

205L Oil Distribution Kits

- RAASM 3:1 or 5:1 Ratio Drum Pump
- 4M Hose Kit
- Manual or Metered Oil Control Gun
- 1/4" Air Regulator

3:1 Manual Oil Distribution Kit

5:1 Manual Oil Distribution Kit

3:1 Metered Oil Distribution Kit

5:1 Metered Oil Distribution Kit

205L Mobile Oil Distribution Kits

- Mobile Trolley Kit
- 3:1 or 5:1 Ratio Pump
- 4M x 1/2" Distribution Hose
- Manual or Metered Oil Control Gun
- Note: 205L drum not included

- 3:1 Mobile Trolley Kit Manual Gun
- 5:1 Mobile Trolley Kit Manual Gun
- 3:1 Mobile Trolley Kit Metered Gun
- 5:1 Mobile Trolley Kit Metered Gun

205L Mobile Oil Distribution Kits with Hose Reel

- Mobile Trolley Kit
- 3:1 or 5:1 Ratio Pump
- 10m x 1/2" Hose Reel
- Manual or Metered Oil Control Gun
- Note: 205L drum not included

- 3:1 Mobile Trolley Kit with Hose Reel Manual Gun
- 5:1 Mobile Trolley Kit with Hose Reel Manual Gun
- 3:1 Mobile Trolley Kit with Hose Reel Metered Gun
- 5:1 Mobile Trolley Kit with Hose Reel Metered Gun

Side Mounted IBC Kit

- 3:1 or 5:1 Ratio Pump
- Front Mount Bracket
- 4M x 1/2" Oil Delivery Hose
- Manual or Metered Oil Control Gun
- IBC Suction Kit with adapter
- Note: IBC not included

- RAASM 3:1 Ratio IBC Kit with Manual Gun
- RAASM 5:1 Ratio IBC Kit with Manual Gun
- RAASM 3:1 Ratio IBC Kit with Metered Gun
- RAASM 5:1 Ratio IBC Kit with Metered Gun

Top Mounted IBC Kit

- RAASM 3:1 or 5:1 Ratio Pump
- IBC Top Mount Bracket
- 10m x 1/2" Hose Reel
- Manual or Metered Oil Control Gun
- Optional extra: Drip Tray
- Note: IBC not included

- 3:1 Ratio IBC Kit with Manual Gun
- 5:1 Ratio IBC Kit with Manual Gun
- 3:1 Ratio IBC Kit with Metered Gun
- 5:1 Ratio IBC Kit with Metered Gun

Diaphragm Pumps

- Exceptional quality & performance
- Self-priming
- Suitable for oil, waste oil, coolant & diesel

- 3/4" Series Aluminium Pump 70 LPM
- 1" Series Aluminium Pump 170 LPM

Diaphragm Pumps

- Unique smooth & trouble-free operation
- Equipped with 0.6m connection hose
- Bracket enables easy installation (option of swivel or fixed)
- In position, it can freely turn 55° right and left
- 1/2" BSP (f) inlet & 1/2" BSP (m) outlet connection
- Pressure rating: 150Bar

- 440 Series Oil Reel 10m x 1/2" ID Hose
- 440 Series Oil Reel 15m x 1/2" ID Hose

430 Series Oil Reels

- Can be roof, wall or bench mounted
- Equipped with 0.6m connection hose
- 1/2"BSP (f) inlet & 1/2" BSP (m) outlet connection
- Pressure rating: 150Bar
- Carbon steel swivel

- 430 Series Oil Reel 10M x 1/2" ID Hose
- 430 Series Oil Reel 15M x 1/2" ID Hose

Manual Oil Gun

- Aluminum and cast alloy control valves for engine and gear oils including a high flow non drip nozzle
- Max. operating pressure: 1500PSI
- 1/2" BSP (f) swivel
- Flow Rates: up to 40 LPM

- Manual Oil Gun, Flexible Outlet

K40 Mechanical Metered Oil Gun

- Easy to reset
- No calibration required
- Partial and full totaliser
- Non re-settable totaliser
- Bursting pressure: 210 Bar
- Max flow rate: 30 LPM
- Max pressure: 70 Bar (994 PSI)
- 1/2" (f) BSP Swivel inlet
- ±1% Accuracy

- K40 Mechanical Metered Gun, Flexible Spout

Digital Metered Oil Gun

- 1/2" Inlet swivel joint with filter
- Flexible extension with semi-automatic nozzle
- Premium oil gun with totaliser and non re-settable total
- Suitable for flow rates up to 40 LPM

- Digital Metered Oil Gun, Flexible Outlet

Metered Oil Control Gun

- Flow Rate: 1-30 LPM
- 1/2" BSP (f) Swivel
- ±0.5% Accuracy
- Battery Powered CR123A
- Manufactured in Germany
- Totaliser and resettable total
- Flexible outlet

- Metered Oil Control Gun, Flexible Outlet

Preset Electronic Meter

- Pre-select: up to 999L
- Two programmable pre-set volumes
- Large easy to read display
- ±0.5% Accuracy
- Flow Rate: 1-30 LPM
- 1/2" BSP (f) inlet
- Flexible outlet

- Electronic Preset Meter, Flexible Outlet

Multi-Purpose Bottle Pump

- 1L capacity, 500mm long PVC hose & spout
- Ideal for topping up difficult to access oiling points in the workshop or garage
- Self-contained preventing oil contamination whilst not in use
- Applications: agricultural, earthmoving, industrial, mining, transport, workshops & service garages

1L Multi-Purpose Bottle Pump

Oil Bottles

- Available in 1L Multi-Purpose Oil Bottles
- Re-usable oil bottle provides environmentally friendly means of dispensing oil
- Non-breakable impact resistant materials
- Weights and measures approved
- Comes with pourer and cap or can be purchased separately
- Available in Red, Black and Green

1L Multi-Purpose Oil Bottle (Black)

1L Multi-Purpose Oil Bottle (Red)

1L Multi-Purpose Oil Bottle (Green)

ULTRAFLO Oil Measuring Jugs

- Plastic measuring jug
- Flexible delivery spout
- Hinged protection lid
- Makes topping up of fluids easy & convenient

6 Litre Measuring Bottle with Flexible Outlet

Oil Measuring Jugs

- Encourages clean, safe, organized & efficient practices
- Prevents contaminants from getting into the oil
- Complete with a Oilsafe Drum, Stumpy Spout

Oil Jug with Stumpy Spout

10L Drum with Hand Pump

- Encourages clean, safe, organized & efficient practices
- Prevents contaminants from getting into the oil
- Complete with a 10L Oilsafe Drum, utility lid & hand pump
- Hand pump ideal for hard to reach places & pumping applications like gearboxes

10L Oil Jug with Utility Lid & Hand Pump

Funnels

- Made of high density polyethylene
- Suitable for all oils & fuels
- High flow rate
- Easy to clean and maintain

Manual Waste Oil Extractor

- 6.5L capacity
- Supplied with 3 suction probes (5.9mm, 6.9mm & 9.9mm OD)
- Simple hand pump creates suction to extract the fluid

6.5L Manual Waste Oil Extractor

Manual Oil Suction Gun

- 500cc capacity
- Ideal for the draining and filling of diffs, gear boxes & engine blocks

Manual Oil Suction Gun

Mobile Waste Oil Drainer

- Anti-splash screen filter
- Removable tool tray
- Available in 65L, 90L capacity
- Drain bowl capacity of 15L
- Level Indicator with scale in litres and gallons

65L Mobile Waste Oil Drainer

80L Mobile Waste Oil Drainer

90L Mobile Waste Oil Drainer

Mobile Waste Oil Drainer and Extractor

- Anti-splash screen filter
- Removable tool tray
- Available in 65L, 90L capacity
- Drain bowl capacity of 15L
- Level Indicator in litres & gallons
- Supplied with 6 probes

65L Mobile Combination Oil Suction & Drainer Unit

90L Mobile Combination Oil Suction & Drainer Unit

Level Floor Waste Oil Drainers

- Wheel mounted floor waste oil drainers suitable for gravity draining of engine, gearbox & diff oils from all vehicles
- Anti-splash screen which can be used as a support for draining oil filters
- Ideal for a busy workshop environment

50L Low Level Drainer

95L Low Level Drainer

150L Low Level Drainer

Level Floor Waste Oil Drainers

- Wheel mounted floor waste oil drainers suitable for gravity draining of engine, gearbox & diff oils from all vehicles
- Anti-splash screen which can be used as a support for draining oil filters
- Ideal for a busy workshop environment

68L Low Level Drainer

95L Low Level Drainer

Automotive Oil Filter Crusher

- Extracts up to 95% of used oil from the filter
- Interlocking feature prevents door from opening until the ram is fully retracted
- 100% Air operated - ensures maximum efficiency for the crushing of the oil filter
- Mounting stand included

Automotive Oil Filter Crusher

Oil Filter Crusher

- Extracts up to 95% of used oil from the filter
- Interlocking feature prevents door from opening until the ram is fully retracted
- 100% Air operated - ensures maximum efficiency for the crushing of the oil filter
- Mounting stand included

Air Operated Filter Crusher

Air Regulators

- Supply clean & compressed air to equipment
- Maintain steady outlet pressure
- Die Cast Aluminium

1/4" Air Regulator Gauge

1/2" Air Regulator Gauge

1/4" Air Filter Regulator & Gauge

1/2" Air Filter Regulator & Gauge

1/4" Air Filter Regulator & Lubricator

1/2"Air Filter Regulator & Lubricator

Inline Pressure Relief Valve

- Adjustable between 5-50Bar (73-725 PSI)
- M/F hydraulic connections inlet & outlet
- Non-directional (flow either direction)
- Drain connection 1/4" BSP (f) -8mm hose tail included

1/2" Pressure Relief Valve Body & Cartridge

4 Way Evacuation Valve

- 4-Directional Control Valve used to simplify the filling and emptying of tanks
- Simplifies installation by eliminating need for multiple valves
- Unrestricted flow, no pressure or volume loss
- Two position tank fill and emptying control
- Provide a professional look, reduces pipework & installation time

1" BSP (f) 4-Way Evacuation Valve

1 1/2" BSP (f) 4-Way Evacuation Valve

Oil Bar

- Tap closes automatic when release lever
- Oil Dispensing Bar up to 3 products
- Digital meter not included

Oil Bar with 1 Tap

Oil Bar with 2 Tap

Oil Bar with 3 Tap

Extra Valve Tap

High Level Oil Tank Alarm

- Suitable for steel or plastic tanks
- Suitable for oil, diesel & water
- High power alarm sounder 97dB at 1M
- Flashing light on top of unit
- Mute button stops the sounder & light still flashes
- Float switch supplied with 5M cable

High Level Diesel/Oil Alarm

Self Bunded Oil / Diesel Tanks

- Complete with 4 entry ports, a level gauge and a leak detection sensor between the inner and outer skin
- Blow-moulded, high density polyethylene inner tank
- Forkliftable
- Base clamp brackets included

620L Unitank (750L x 690W x 1651H)

750L Unitank (1000L x 760W x 1370H)

1000L Unitank (1100L x 705W x 1610H)

1500L Unitank (1650L x 755W x 1870H)

Inline Digital Meter

- Robust aluminium construction
- Easy to read and re-settable
- 2yr average battery life (battery CR123A)
- Flow Rates: up to 30 LPM
- Max. Pressure: 100 bar
- Accuracy:± 0.5% of reading

1/2" Inline Digital Oil Meter

Oil Dispensing Valve

- The valve is mounted directly onto the pump outlet
- To be used for filling oil jugs and bottles
- Oil Dispensing Valve only - 3/4" connection thread

Oil Dispensing Valve - 3/4" Connection Thread

Custom Made New Oil Tanks

CAV FLUID Heavy Duty Bulk Oil Tanks provide an excellent solution to replace drums or IBC's and bring a professional and clean look to your workshop. Whether it be for new oil, coolant or waste oil.

We can customise Bulk Oil Tanks to suit your workshop.

Features & Benefits

- Spill box with lid (self bunded tanks only)
- Tank fitted with Fill Point, Breathers & Dipstick
- Forkliftable

Oil Distribution Kits

0A205K1

0A205K4

We have the Oil Distribution Kits to increase your workshop efficiency and effectiveness.

These kits are ideal for small to medium size workshops looking to upgrade from hard pumps but also covers larger workshops that have additional 105C Oil Drums that need catering for.

Specifications
• 3:1 Ratio Drum Pump - 14 LPM
• 5:1 Ratio Drum Pump - 18 LPM
• Metered Oil Gun (Accuracy ± 0.5%)

HD 3 Wheel 205L Drum Trolley (AP-1305)

HD Drum Dolly (AP-2325)

430 Series Reel (RA-8430.440)

Description
3:1 Kit Includes: 3:1 Drum Pump, 4M Hose & Manual Oil Gun
5:1 Kit Includes: 5:1 Drum Pump, 4M Hose & Manual Oil Gun
3:1 Kit Includes: 3:1 Drum Pump, 4M Hose & Metered Oil Gun
5:1 Kit Includes: 5:1 Drum Pump, 4M Hose & Metered Oil Gun

Standard Lever Action Grease Gun

- Complete with a rigid outlet & 4 jaw coupler
- Fitted standard with air valve & bulk filler
- Develops up to 4,500 PSI

Standard Lever Action Grease Gun - 450g

Standard Duty Pistol Grip Grease Gun

- Complete with a 300mm flexible outlet & 4 jaw coupler
- Fitted standard with air valve & bulk filler
- Develops up to 4,500 PSI

Standard Pistol Grip Grease Gun - 450g

Hand Operated Bucket Grease Pumps

- Robust construction
- Complete with universal follower plate
- Easy to use grease filling solution to load bulk or combination grease guns

Hand Operated Bucket Pump - 20Kg

2.5kg Mini Hand Operated Grease Pump Kit

- Foot operated spring plunger
- 3M of high pressure hose & hand piece for high pressure and high volume applications
- Delivers up to 10,000PSI

Mini Grease Pump Kit - 2.5kg

Heavy Duty Lever Action Grease Gun

- Professional grease gun for industrial applications
- Develops 10,000 PSI/690 Bar
- Robust Aluminum die cast grease gun head and filler
- Rigid Outlet with pro 4 jaw coupler

Lever Action Grease Gun - 450g

Heavy Duty Variable Pistol Grip Grease Gun

- Ergonomic one hand grease gun
- Unique variable stroke for both high pressure and high volume applications
- Complete with 300mm flexible outlet & pro 4 jaw coupler
- Develop grease pressures up to 8000PSI

Variable Pistol Grip Grease Gun - 450g

20kg Handle Grease Kit

- Spring operated plunger
- 3M of high pressure hose & hand piece for high pressure and high volume applications
- Delivers up to 10,000PSI

T Handle Grease Pump Kit - 20kg

20KG Air Operated Grease Pump Kit

- Your cost effective and dependable solution to easier greasing of plant and equipment
- The ULTRAFLO Kit is in for the long haul and will withstand all you throw at it plus it is sure to meet your budget
- 58:1 Ratio High Pressure Pump
- Kit complete with pump, follower plate, drum cover, 4M hose and grease gun with Z swivel

58:1 Ratio Grease Pump Kit - 20kg

Speedy Grease Gun

- Operating pressure: up to 800bar (11,200 PSI)
- 2.5cc of grease per stroke
- Fitted with 60kg magnet
- 800mm flexible hose extension with grease coupler

Speedy Grease Gun - 450g

Air Operated Grease Gun

- High pressure delivery performance of up to 3800PSI
- Continuous grease flow operation
- Complete with rigid outlet & 4 jaw coupler

Air Operated Grease Gun - 450g

180KG Air Operated Grease Pump Kit

- Your cost effective and dependable solution to easier greasing of plant and equipment
- The ULTRAFLO Kit is in for the long haul and will withstand all you throw at it plus it is sure to meet your budget
- 58:1 Ratio High Pressure Pump
- Kit complete with pump, follower plate, drum cover, 4M hose and grease gun with Z swivel

58:1 Ratio Grease Pump Kit - 180kg

50:1 Ratio Air Operated Grease Kit

- Kit complete with pump, follower plate, drum cover, 4M hose and grease gun with Z swivel
- 50:1 Ratio Pump
- Your heavy duty & ever reliable solution

50:1 Ratio Air Operated Grease Kit - 20kg

50:1 Ratio Air Operated Grease Kit - 60kg

50:1 Ratio Air Operated Grease Kit - 180kg

Grease Pump Trolley Kit

- Increases the efficiency in your busy workshop with an easy to use mobile grease trolley distribution kit
- These grease trolleys allow great flexibility to move your drums around the workshop with ease
- 58:1 high pressure grease pump

Grease Pump Trolley Kit 4m Hose - 180Kg

Grease Pump Trolley Kit 10m Reel - 180Kg

50:1 Grease Trolley Distribution Kits

- Increases the efficiency in your workshop with an easy to use mobile grease trolley distribution kit
- These grease trolleys allow great flexibility to move your drums around the workshop with ease
- 50:1 high pressure grease pump

Mobile Grease Trolley Kit, 4m Hose - 180kg

Mobile Grease Trolley Kit, 12m Reel - 180kg

Grease Nipple Packs

- High quality zinc plated & case hardened mild steel body to help with corrosion resistance
- Heat treated springs for increase life

1/8" BSP Straight Grease Nipple

1/8" NPT Straight Grease Nipple

1/4" BSP Straight Grease Nipple

1/4" UNF Straight Grease Nipple

1/8" BSP 45 Degree Grease Nipple

1/8" BSP 90 Degree Grease Nipple

1/8" NPT 90 Degree Grease Nipple

1/4" UNF 90 Degree Grease Nipple

6M x 1 Straight Grease Nipple

8M x 1 Straight Grease Nipple

10M x 1 Straight Grease Nipple

6M x 1 x 45 Degree Grease Nipple

6M x 1 x 90 Degree Grease Nipple

Quick Release Grease Coupler

- No leakage
- No lever needed
- Quick grip onto any sized nipple
- Allows both hands for grease gun operation
- Maximum pressure 15,000PSI
- 1/8" BSP (f) thread

Quick Release Grease Coupler w Relief Valve

Quick Release Grease Coupler

Grease Fitting Thread Tester

- Easily identify thread patterns for all common standard, British and metric grease fittings
- Made of aluminium

Grease Fitting Thread Tester

Grease Nipple Assortment Kits

- Refillable compartmentalized carry kit
- Available in kits suited to agricultural, industrial, metric, automotive & stainless steel applications

Agricultural Grease Nipple Assortment Kit 120Pcs

Imperial Grease Nipple Kit 110Pcs

Metric Grease Nipple Assortment Kit 100Pcs

Grease Gun Extension

- Quality German construction
- Suitable for hand or air operated equipment
- Working Pressure: 5800PSI
- Burst Pressure: 13,750PSI

300mm HD Grease Gun Extension

450mm HD Grease Gun Extension

1M Grease Gun Extension

Heavy Duty 4 Jaw Grease Coupler

- Hardened body that withstands high pressure without deformation
- Hexagonal nut for easy tightening
- 4 jaw coupler with 1/8" BSP
- Easy on and off long life coupler

Heavy Duty 4 Jaw Grease Coupler

Right Angle Coupler

- • 90 Degree Right Angle Coupler
- • 1/8" BSP

90 Degree Right Angle Coupler 1/8" BSP

Grease Injector Needle

- Perfect tool to provide grease in very tight places, such as universal joints & sealed bearin

Grease Injector Needle with Nipple

Needle Nose Dispenser

- Used to dispense a fine line of grease
- Narrow design for hard to reach fittings in inaccessible areas

- Needle Nose Dispenser 1/8" BSP
- Narrow Needle Nose Dispenser 1/8" BSP

Z-Swivel

- Z Swivel

Remote Grease Anchor Blocks with Grease Nipple Header Blocks

- T-drilled install the grease straight or 90 degrees to the grease nipple.
- Supplied with 1/8" BSP Straight grease nipples

- 1 point 10 x 1 Grease Block with 1/8" BSP Nipples
- 2 point 10 x 1 Grease Block with 1/8" BSP Nipples
- 3 point 10 x 1 Grease Block with 1/8" BSP Nipples
- 4 point 10 x 1 Grease Block with 1/8" BSP Nipples
- 5 point 10 x 1 Grease Block with 1/8" BSP Nipples
- 6 point 10 x 1 Grease Block with 1/8" BSP Nipples
- 8 point 10 x 1 Grease Block with 1/8" BSP Nipples

440 Series Grease Reels

- Unique smooth & trouble free operation
- Equipped with 0.6m Connection Hose
- Bracket enables easy installation (option of swivel or fixed)
- 3/8" BSP (f) inlet & 1/4" BSP (m) outlet connection
- Pressure rating: 600Bar

- RAASM 440 Series Grease Reel 12m x 1/4" ID Hose
- RAASM 440 Series Grease Reel 18m x 1/4" ID Hose
- RAASM 440 Series Grease Reel 15m x 3/8" ID Hose

430 Series Grease Reels

- Can be roof, wall or bench mounted
- Equipped with 0.6m Connection Hose
- 3/8" BSP (f) inlet & 1/4" BSP (m) outlet connection
- Pressure rating: 600Bar

- RAASM 440 Series Grease Reel 12m x 1/4" ID Hose
- RAASM 440 Series Grease Reel 18m x 1/4" ID Hose
- RAASM 440 Series Grease Reel 15m x 3/8" ID Hose

Nylon Tube Semi-Rigid

- 6mm high pressure nylon grease hose
- Suitable for 6mm push in grease fitting connectors

- 25m x 6mm High Pressure Tube - Empty
- 100m x 6mm High Pressure Tube - Empty
- 25m x 6mm High Pressure Tube - Grease Filled
- 100m x 6mm High Pressure Tube - Grease Filled

Straight Compression Connector

- Suits 6mm hose

- 6mm x 6mm Straight Connector
- 6mm x 6mm Stainless steel Straight Connector

Remote Grease Anchor Blocks

- T-drilled install the grease straight or 90 degrees to the grease nipple.
- Supplied without 1/8" BSP Straight grease nipples

- 1 point 10 x 1 Grease Block
- 2 point 10 x 1 Grease Block
- 3 point 10 x 1 Grease Block
- 4 point 10 x 1 Grease Block
- 5 point 10 x 1 Grease Block
- 6 point 10 x 1 Grease Block
- 8 point 10 x 1 Grease Block

90 Degree Compression Fitting

- Suits 6mm hose
- 90° fitting

- 90° M6/1 x 6mm
- M6 x 6mm Stainless Steel
- M8/1 x 6mm Stainless Steel
- M8x1 x 6mm Stainless Steel
- M10/1 x 6mm
- Male Connector 90deg Elbow SS
- 1/8 BSP x 6mm T
- 1/8 BSP x 6mm Stainless Steel

Straight Compression Fitting

- Suits 6mm hose

- M6/1 x 6mm
- M6/1 x 6mm Stainless Steel
- M8/1 x 6mm
- M8/1 x 6mm Stainless Steel
- M10/1 x 6mm
- Male Connector Straight 6mm SS
- 1/8 BSP x 6mm
- 1/8 BSP x 6mm Stainless Steel
- 1/4 BSP x 6mm

Straight Adaptor

- M8/1M x M10/1M (23mm)
- M10/1M x M10/1M (18mm)
- 1/8 BSP M x M10/1M (18mm)
- M6/1M x 1/8 (24mm)
- M10/1M x M10/1M (50mm)
- M10/1M x M10/1M (35mm)
- M8/1M x M8/1M (35mm)
- 1/4 BSP M x 1/8 BSP (M10) M (20mm)
- 1/4 BSP M x 1/8 BSP (M10) M (23mm)
- 1/4 BSP M x 1/8 BSP (M10) M (55mm)
- 1/4 BSP M x 1/8 BSP (M10) M (26mm)
- 1/4 UNEF M x 1/8 BSP (M10) M (24mm)
- 1/4 UNF M x 1/8 BSP (M10) M (24mm)
- 1/8 BSPM x 1/8BSPF – 1/2" Long Extension
- 1/8 BSPM x 1/8BSPF – 1" Long Extension
- 1/8 BSPM x 1/8BSPF – 1.5" Long Extension
- 1/8 BSPM x 1/8BSPF – 1 3/4" Long Extension
- 1/8 BSPM x 1/8BSPF – 2" Long Extension

Push in Straight Connector

- Suits 6mm hose
- Push In Fitting

- M6/1 x 6mm
- M8/1 x 6mm
- M10/1 x 6mm
- 1/8 BSP x 6mm
- 1/8 NPT x 6mm
- 1/4 UNF x 6mm

Push in Connector 90 Degree

- Suits 6mm hose
- Push In Fitting
- 90˚ fitting

- M6/1 x 6mm
- M8/1 x 6mm
- M10/1 x 6mm
- 1/8 BSP x 6mm
- 1/8 NPT x 6mm
- 1/8 UNF x 6mm

Adapter 45 Degree

- 1/8 BSPM x 1/8 BSPF
- M6/1M x M8/1F
- M8x1/1 Male x M8/1

Adapter 90 Degree

- 1/8 BSPM x 1/8 BSPF
- 1/4 UNFM / 1/8 BSPF
- M6/1M x M10/1F
- M8x1/1M x 1/8 BSPF

Push in Swivel Connector 90 Degree

- Suits 6mm hose
- Push In Fitting
- 90˚ Swivel fitting

- M6/1 x 6mm
- M8/1 x 6mm
- M10 x1 x 6mm tube push in fitting
- 1/8 BSP x 6mm
- 1/8 NPT x 6mm
- 1/8 UNF x 6mm

Push in Straight Connector

- Suits 6mm hose
- Push In Fitting

- 6mm x 6mm

Grease Hose

- Hose - Empty
- Hose - Grease Filled

Hose Stud 90 Degree

- Suits 8.6mm hose
- Requires Screw Sleeve
- 90 Degree

- 6mm Hose Stud (17 x 29)
- 6mm Stainless Steel Hose Stud (28 x 37)
- 6mm Hose Stud (22 x 45)

Hose Stud 45 Degree

- Suits 8.6mm hose
- Requires Screw Sleeve
- 45 Degree

LC-99-HS456M
6mm Hose Stud (24 x 15)

LC-99-HS456MCG
6mm Hose Stud with Claw Groove (24 x 15)

Hose Stud Connector Straight Fitting

- Suits 8.6mm & 11.3mm

LC-99-HSS20M
6mm Hose Stud (20mm)

LC-99-HSS30M
6mm Hose Stud (30mm)

LC-99-HSS30MSS
Straight 6mm Hose Stud SS

LC-99-HSS65M
6mm Hose Stud (65.5mm)

LC-99-HSS08M
8.6mm Hose Stud Connector (21.5mm)

LC-99-HSS20M11
11.3mm Hose Stud (20mm)

Bulkhead Straight & 90 Degree Elbow Fitting

- Suits 6mm Tube

LC-99-BH6M
6mm x 25mm Bulkhead

LC-99-BHS6M
6mm x 6mm Bulkhead Straight

LC-99-BHS6MSS
6mm x 6mm Bulkhead Straight Stainless Steel

LC-99-BE906M
6mm Tube x 6mm Bulkhead 90˚

LC-99-BE906MSS
6mm Tube x 6mm Bulkhead 90˚ Stainless Steel

Compression Nut Fitting

- Suits 8.6mm & 11.3mm hose
- Use with Compression Olive

LC-99-CN
6LL 6mm

LC-99-CNSS
6LL 6mm Stainless Steel

LC-99-CNL
6L 8mm

LC-99-CNLSS
6L 8mm Stainless Steel

Screw Sleeve Fitting

- Suits 8.6mm & 11.3mm hose

LC-99-SS
8.6mm Sleeve

LC-99-SSSS
8.6mm Stainless Sleeve

LC-99-SS11
11.3mm Screw Sleeve

Reusable Hose End Swivel Fitting

- Suits 8.6mm hose

LC-99-RHESWSS
1/8 NPT, Swivel & Screw Sleeve

LC-99-RHESO
1/8 NPT Stud Only

LC-99-RHESSS
Screw Sleeve Only

Compression Olive Fitting

- Suits 8.6mm & 11.3mm hose
- Use with Compression Nut

LC-99-CO
6LL 6mm

LC-99-COSS
6LL 6mm Stainless Steel

LC-99-COL
6L 8mm

LC-99-COLSS
6L 8mm Stainless Steel

JIC 7/16 Reusable Hose Stud

- For 8.3mm Hose
- Stainless steel options available

LC-98-BT0544
Straight Fitting

LC-98-BT0555
45˚ Fitting

LC-98-BT0566
90˚ Fitting

LC-98-BT0544SS
Straight Fitting Stainless Steel

LC-98-BT0566SS
90˚ Fitting Stainless Steel

Swivel Union Fitting

6mm x 1/8 BSP

6mm x M 10x1

Banjo Fitting 90 Degree

M10 x 1/8 BSP

M10 x 1/M10 x 1

Bulk Grease Transfer Systems

We understand flow rates and pressures, with understanding your site and performance requirements our team can put together a solution to help you move bulk grease with ease. Static or mobile, our in house engineering team can assist, from concept right through to installation.



Air Operated Pump Kit

Features & Benefits

- The most cost effective and dependable solution to easier greasing of plant and equipment

  The ULTRAFLO Kit is in for the long haul and will

Applications

- Transport
- Earthmoving
- Industrial
- Agricultural
- Mining

Description
58:1 Ratio Grease Kit - 20Kg
58:1 Ratio Grease Kit - 180Kg
Hand Trolley - 20Kg
Mobile Trolley - 180Kg
20Kg Drum Dolly
180Kg Drum Dolly

ULTRAFLO Economy Hand Trolley

- Enables easy and convenient means moving 20L to 60L drums around a workshop
- Includes two rubber wheels & a drum locking device

AP-1300
20L Hand Drum Trolley

ULTRAFLO Heavy Duty Hand Trolley

- Sturdy drum trolley suitable for both oil & grease drum 20L to 60L
- Complete with chain for holding drum in place

AP-1303
Heavy Duty Hand Trolley 18-60kg - 60kg Drums

205L Oil Drum Trolley

- 3 Wheel low level drum trolley
- Suitable for both oil and grease drums (205L or 180Kg)
- Solid rubber tyres with rear swivel and locking brake
- Chain to secure drum
- Pump or hose reel can be fitted using optional brackets

3 Wheel Drum Trolley 180kg - 205L Drums

Drum Dollies

- Provides effective means of moving drums throughout the workshop
- Industrial quality steel construction with heavy duty casters
- Gives increased mobility and reduces physical effort and drum handling
- OHS friendly

20kg Drum Dolly

60kg Drum Dolly

180kg Drum Dolly

205L Drum Spill Pallets

- Designed for temporary or secondary storage and to improve workplace safety, housekeeping & protection of the environment
- Economical & light-weight but tough & durable
- Convenient as easy forklift access points ensures portability

Poly 2 Drum Spill Pallet

Poly 4 Drum Spill Pallet

1000L IBC Spill Pallets

- Cost effective and space saving solution without compromising quality

Poly 2 Drum Spill Pallet

Poly 4 Drum Spill Pallet

Liquid Adhesive

- Anaerobic adhesive, fast curing, medium strength thread sealant for metal joints
- Replaces PTFE tape & yarn
- Provides instant sealing against low pressure or against high pressure within 1 hour
- Seals against gas, air, water, LPG, hydrocarbons, oils & many chemicals including refrigerants

Loxeal 58-10 Thread Sealing 100ml

Drum Wrench

- Bronze alloy drum wrench
- Designed to fit into most 2" & 3/4" drum plugs
- Wrench is hardened and tempered for increased strength
- Compact design for easy storage

Drum Wrench

205L-180kg Drum Cradle

- For ease of moving, safe storage and efficient decanting of 205L drums
- Ideal for workshops and other industrial environments
- HD construction with maximum capacity of 495Kg
- Lifting handle also included

HD 205L-180kg Drum Cradle

Oil & Fuel & General Spill Kits

- 40L Kits are in a compact hi-vis bag, small enough to store in truck cabins, toolboxes, behind a door or in laboratory cupboards
- 120L & 240L Bins are the best available in terms of capacity and fast response
- Refill kits available

40 Litre Oil & Fuel Spill Kit

120 Litre Budget Oil & Fuel Spill Kit

240 Litre Budget Oil & Fuel Spill Kit

Oil and Fuel and General Purpose Pads

- Perforated along the centre allowing them to be easily divided so you can get the right size pad for the spill and assist in placing in smaller and confined spaces.

200GSM Oil & Fuel Pads

General Purpose Pads

Spill - Fix Industrial Oil Absorbent

Spill-Fix Industrial Oil Absorbent Pack - 9L, 15L, 50L

DISCLAIMER: Although every care is taken to ensure accuracy and completeness in compiling this data no liability can be accepted by CAV Fluid Solutions for damage or loss caused by any errors or omissions in the information given, either directly or indirectly.
Suitability of products referred to in this catalogue is the customers sole responsibility.
Always refer to technical data to confirm suitability which is available on request from CAV Fluid Solutions.

GOODS RETURN POLICY

Returns are subject to CAV FLUID Equipment discretionary 20% restocking fee and will only be accepted if the goods are received in an unused and original condition.
Return of incorrectly supplied goods at CAV Fluid Solutions expense will be the carrier of our choice.
We will not accept freight charges for goods returned by other means.
Products specially purchased, manufactured, machined or cut to size to the customer's specifications are non-returnable.

CAV
FLUID SOLUTIONS

AUSTRALIA WIDE DISTRIBUTION

For our full range of products and more information, give us a call or email us at

0476 670 765 | accounts@cavfluid.com.au

ABN: 15 666 581 719